TV-N370



www.vltglight.com

Optical system

Light Source:OSRAMSIRIUS HRI ® 311W

Color temperature: 8000K Light source life: ≥1500hours

Scan

X:540° (16 bit precision scan) Y:270° (16 bit precision scan)

Automatic error correction reset function

Color system

1 color wheel: 14 color + white, half-color effect, rainbow effect with bidirectional rotation.

Gobo system

1 fixed pattern plate: 14 pattern pieces + white, with pattern dithering and pattern arbitrary positioning function.

Prism system

Prism 1: 24prisms. Prism2: 16 prisms. Prism 3: 8prisms. Prism2: 4T prisms.

Prism5: 7color rainbow prism 2 prisms can be stacked

Effect

Focusing angle: 1.8°

Atomization: Independent atomization Dimming: 0-100% linear dimming. Strobe: up to 25Hz, can choose random

strobe or pulse strobe.

Environment

IP20

-10°C- 45°C

Display

Display: Rechargeable battery, you can enter the menu to set without powering on. The Chinese and English languages can be switched, and the display can be reversed 180°, which is convenient for hanging upside down. Reset detection: When there is no DMX signal, manual detection and automatic detection can be selected to facilitate inspection and maintenance.

software

9 built-in programs to choose from Upgrade via DMX data cable

Can change the DMX address code from the console, remote control switch bulb, machine reset and other functions

Display lamp and light source usage time 3 channel modes:23/18/15 channels

Control

High temperature automatic protection

Standard DMX512 protocol DMX shortcut interface

RDM function

Electrical parameters

Voltage: AC100-240V, 50/60Hz

Power: 370W **Size and weight**

Product Size: 528*422*301mm

Net weight:19.4kgs





